Application Serial No.: 10/673,522 Amendment and Response to March 23, 2006 Non-Final Office Action

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method, comprising the steps of:

detecting a new device context for a device, wherein said device is associated with an identity and the device context provides an availability status of the device; and

mapping said new device context to an identity context for said identity; and providing data indicative of said identity context.

- 2. (Currently Amended) The method of claim 1, wherein said step of detecting said new device context for said device includes detecting said new device context in a presence and availability service.
- 3. (Currently Amended) The method of claim 1, wherein said step-of-detecting said new device context for said device includes receiving a request to change said device's device context.
- 4. (Currently Amended) The method of claim 1, wherein said step-of-mapping said new device context to said identity context for said identity includes determining said identity.

Application Serial No.: 10/673,522
Amendment and Response to March 23, 2006 Non-Final Office Action

- 5. (Currently Amended) The method of claim 1, wherein said step of mapping said new device context to said identity context for said identity includes determining said identity context.
  - 6. (Currently Amended) The method of claim 1, further comprising the step of: determining said identity.
  - 7. (Currently Amended) The method of claim 1, further comprising the step of: determining said identity context.
  - 8.(Cancel)
- 9. (Currently Amended) The method of claim 81, wherein said step of providing data indicative of said identity context includes providing said data indicative of said identity context to an identity context oriented application.
- 10. (Currently Amended)The method of claim 1, further comprising the step of:
  receiving a request to make a change to a new identity context for an identity;
  and
- mapping said new identity context to a device context for a device associated with said identity.

Application Serial No.: 10/673,522 Amendment and Response to March 23, 2006 Non-Final Office Action

11. (Currently Amended) The method of claim 1, further comprising the step of:

receiving a request to make a change to  $\underline{a}$  new identity context for a second identity; and

mapping said new identity context to a device context for a device associated with said second identity.

- 12. (Currently Amended) The method of claim 11, wherein said step-of receiving said request to make said change to a new identity context for said second identity includes receiving said request from an identity context oriented application.
- 13. (Currently Amended) The method of claim 11, wherein said step-of mapping said new identity context to said device context for said device associated with said second identity includes determining said device associated with said second identity.
- 14. (Currently Amended) The method of claim 13, wherein said step of mapping said new identity context to said device context for said device associated with said second identity includes determining said device context associated with said device associated with said second identity.
- 15. (Currently Amended) The method of claim 11, wherein said step of mapping said new identity context to said device context for said device associated with said second identity includes accessing a mapping table.

Application Serial No.: 10/673,522 Amendment and Response to March 23, 2006 Non-Final Office Action

16.(Currently Amended) The method of claim 1, further comprising the step of:

providing data indicative of said device context to a presence and availability service.

17. (Currently Amended) The method of claim 11, further comprising the step ef:

changing an identity context for said second identity from a first <u>identity</u> context to a said new <u>identity</u> context in response to said request.

18. (Currently Amended) A method, comprising the steps of:

detecting a new device context for a device in a presence and availability service, wherein said device is associated with an identity and the device context provides an availability status of the device;

mapping said new device context to an identity context for said identity;

providing data indicative of said identity context to an identity context oriented application.

19. (Currently Amended) An article of manufacture comprising:

a computer readable medium having stored thereon instructions which, when executed by a processor, cause said processor to:

detect a new device context for a device, wherein said device is associated with an identity and the device context provides an availability status of the device; and

Application Serial No.: 10/673,522 Amendment and Response to March 23, 2006 Non-Final Office Action

map said new device context to an identity context for said identity; and provide data indicative of said identity context.

20 (Currently Amended) An apparatus, including:

a processor;

a communication port coupled to said processor and adapted to communicate with at least one device; and

a storage device coupled to said processor and storing instructions adapted to be executed by said processor to:

detect a new device context for a device, wherein said device is associated with an identity and the device context provides an availability status of the device; and

map said new device context to an identity context for said identity; and provide data indicative of said identity context.